




Digitized by the Internet Archive in 2008 with funding from Microsoft Corporation






25

ILLUSTRATIONS

BRITISH FUNGI.





ILLUSTRATIONS

OF

BRITISH FUNGI

(HYMENOMYCETES),

To serve as an Atlas to the "Handbook of British Fungi."

BY

M. C. COOKE, M.A., LL.D., A.L.S.,

Late President of the Quekett Microscopical Club. President of the Hackney Natural History and Microscopical Society. Fellow of the Botanical Society of Edinburgh. Corresponding Member of the Academy of Natural Sciences, Philadelphia; of the Academy of Science of New York; of the Portland Society of Natural History, Maine, and of the Società Crittogamologica Italiana. Honorary Member of the Cryptogamic Society of Societand; the Woolhope Field Club; Natural History Society of Glosgow; the Hertfordshire Natural History Society; the Norfolk and Norwich Naturalists' Society; the Essex Field Club; and other Societies.

VOL. VIII.

SUPPLEMENT.

137428

Mondon:

WILLIAMS AND NORGATE, HENRIETTA STREET, W.C.

1889-1891.

-(40) 272

QK 607 C67

V. 8

SYSTEMATIC INDEX

TO

SUPPLEMENT.

GENUS I. AGARICUS, Linn.

Sect. 1. LEUCOSPORI. Spores white.

Sub-genus 1. Amanita, Fr.				
1102. solitarius, Bull				939
1103. rubescens, Pers	•	•		1163
—— vaginatus, Bull.	•	•	•	1100
1104. var. nivalis, Grev.				940
Sub-genus 2. Lepiota, Fr.				
1105. Friesii, Lasch			٠.	941
1106. emplastrum, C. & M.				1164
4400 11 11 17 1				1180
1107. hispidus, Fries . 1108. felinus, Pers micropholis, B. & Br.				943a
1108. micropholis, B. & Br.				
cepæstipes, Sow.				9436
1109. var. cretaceus, Bull.				942
1110. liemophorus, B. & Br.				1179
1111 aitrophyllne R & Ry				639
1112. { ianthinus, Cooke				944a
1112. martialis, C. & M.				9446
Sub-genus. 3. Armillaria, Fr.				
1113. Jasonis, C. & M.				955
—— focalis, Fries .				
1114. var. goliathus, Fr.				1165
1115 gitni Ing				1101

Sub-genus	4. Tricholoma, Fr.				
1116.	russula, Schæff				926
1117.					642
	argyraceus, Fries				_
1118.					641
1119.					947
1120.					954)
1121.	· · · · · · · · · · · · · · · · · · ·				1166
1122.					1151
1123.	borealis, Fries .				956
	pes-capræ, Fries .				
1124.	var. multiformis, Schff.				946
1125.	circumtectus, Cooke				1182
1126.					640
	melaleucus, Fries				
1127.	var. polioleucus, Fr.	•			957
Sub-genus.	5. Clitocybe, Fries.				
1128.	opiparus, Fries				1183
1129.	1 1 /				644
1130.					645
1131.					958
1132.					643
1133.					1184
. 1134.					648
					_
1135.					646
1136.	sinopicus, Fries				647
	spinulosus, Stevenson .				177
	vermicularis, Fries .				
1122.	cinerascens, Batsch				1151b
1137.	zygophyllus, C . & M .			•	948
Sub-genus	6. Collybia, Fr.				
1138.	fodiens, Kalch				949
1139.	prolixus, Fl. Dan.				950
1140.	distortus, Fr				652
	velutipes, Fries				
1141.					650
1142.					1168
1143.					1167
1144.					651
1145.					640
1146.					1185
1147.	murinus, Batsch.				1198
	,				

Sub-genus 7. Mycena, Fr.	
1153. olivaceo-marginatus, Mass.	. 959a
(mirabilis, C. & Q	. 951a
(navipes, Quet	. 951b
1149. gypseus, Fries	. 952a
1150. consimilis, Cooke	$. 1186 \\ . 653$
1149. codoniceps, Cooke	952b
	0.0
Sub-genus 8. Omphalia, Fr.	
$1152. \begin{cases} \text{chrysophyllus, } Fries & . \\ \text{Postii, } Fries & . \\ \end{cases} \\ 1153. \begin{cases} \text{glaucophyllus, } Lasch. & . \\ \text{rusticus, } Pers. & . \\ \end{cases} \\ \\ \end{cases}$. 1152a
1152. Postii, Fries	. 1152 <i>b</i>
1153 Sglaucophyllus, Lasch.	. 959b
rusticus, Pers	. 959 c
Sub-genus 9. Pleurotus, Fr.	
1154. Ruthæ, B. & Br.	. 654
1155. sapidus, Kalch.	. 954
—— ostreatus, Fries	,
1156. var. columbinus, Bres.	. 953
Hyporrhodii. Spores pink.	
Sub-genus 12. Pluteus, Fr.	
1157. salicinus, Pers	. 1169a
1158. nigrocinnamomeus, Kalch.	. 1153
Sub-genus 14. Clitopilus, Fries.	•
1159. straminipes, Mass	. 960
Sub-genus 16. Leptonia, Fr.	
1157. asprellus, Fries	. 1169 <i>b</i>
Sub-genus 17. Nolanea, Fr.	
inco (nigripes, Fries	. 1170a
1160. $\begin{cases} \text{nigripes, } Fries \\ \text{subglobosus, } A. \& S. \end{cases}$. 1170b
Dermini. Spores rusty.	
Sub-genus 21. Pholiota, Fr.	
	. 1171

Sub-genus 22. Inocybe, Fr.	
1162. perlatus, <i>Cooke</i>	. 961 . 1174 . 1173
Sub-genus 23. Hebeloma, Fr.	
1165. elatus, Batsch	. 962 . 963
Sub-genus 24. Flammula, Fr.	
1167. purpuratus, C. & M	. 964 . 1154
Sub-genus 25. Naucoria, Fr.	
1169.lugubris, $Fries$.1170.festivus, $Bolt$.1171.obtusus, C . & M .1172.hamadryas, $Fries$.1173.nasutus, $Kalch$.	. 1187 . 966 . 1155 . 965 . 1172b
Sub-genus 27. Galera, Fr.	
1174. siligineus, Fries.	. 1156
Sub-genus 28. Tubaria, Sm.	
1175. $\left\{ egin{array}{lll} ext{pellucidus, } Bull & . & . & . \\ ext{muscorum, } Pers. & . & . & . \end{array} \right.$. 1175a $. 1175b$
Sect. 4. Prateii. Spores purple.	
Sub-genus 30. Chitonia, Fr.	
1176. rubriceps, C. & M	. 967
Sub-genus 31. Psalliota, F_T .	
1177. sagatus, Fries	. 968
Sub-genus 33. Stropharia, Fr.	, 000
— merdarius, Fries	
1178. var. major, Fr. 1179. scobinaceus, Fries	. 1188 . 1189

Sub-genus 34. Hypholoma, Fr.
1180. catarius, <i>Fries</i>
Sub-genus 35. Psilocybe, Fr.
— areolatus, <i>Klot</i>
Sub-genus 36. Psathyra, Fr.
1184. gyroflexus, Fries
Sect. 5. Coprinarii. Spores black.
Sub-genus 37. Panæolus, Fr.
— conopileus, Fries — 1185. var. superbus, Jung
GEN. 4. BOLBITIUS, Fr.
1186. conocephalus, <i>Bull</i>
Genus. 5. CORTINARIUS, Fries.
Tribe 1. Phlegmacium.
1188. testaceus, <i>Cooke</i>
Tribe 2. Myxæcium.
1189. nitidus, <i>Fries</i>
Tribe 5. Telamonia.
1190. lucorum, <i>Fries</i>
1191. croceofulvus, <i>D.C.</i>
Tribe 6. Hydrocybe.
1192. angulosus, <i>Fries</i>
GENUS 7. PAXILLUS, Fries.
1193. Alexandri, Fries 1162

SYSTEMATIC INDEX.

GENUS 8. HYGROPHORUS, Fries.

1194	Hydrocybe. spadiceus, Scop			. 1161
1101.	spatiecus, scopi.		·	. 1101
	GENUS 9. LACTARI	US, Frie	8.	
1195.	involutus, Sopp			. 1194
1196.	squalidus, Kromb.			. 1195
	GENUS 10. RUSSUI	A, Pers		
	Ser. 2. Furca	tæ.		
1197.	virginea, C. & M.			. 1197
	Ser. 5. Frage	iles.		
	ochroleuca, Pers.			. —
1198.	var. claroflava, Gro	ve		. 1196
1199	nauseosa Pers			1147

TO THE WHOLE WORK.

	F	LATE	1	P	LATE
abhorrens (Omphalia)		272c	allutus (Phlegmacium)		752
abiegnus (Omphalia)		271c	alnicola (Flammula)	•••	413
abietina (Lenzites)		11466	alternatus (Coprinus)	•••	677
abstrusus (Naucoria)		456			1097
acerbus (Tricholoma)	•••	76	alveolus (Crepidotus)		499a
acerinus (Pleurotus)		291	amadelphus (Marasmius)		1127
acerosus (Pleurotus)	•••	242c	amarus (Clitocybe)		134a
acervatus (Collybia)	•••	267	ambustus (Collybia)		1556
acetabulosus (Acetabularia)	•••	345	ameides (Entoloma)		341
acicula (Mycena)		190c	amethystinus (Tricholoma)		262
acris (Lactarius)		1005	amianthinus (Lepiota)	•••	2136
actinophorus (Marasmius)		1136b	amictus (Mycena)	•••	286
acuminatus (Panæolus)		632a	ammoniacus (Mycena)	•••	238a
acutesquamosus (Lepiota)	•••	14	ammophilus (Psilocybe)	•••	6068
acutus (Hydrocybe)		8456	amplus (Clitocybe)		644
adiposus (Pholiota)	•••	353	androsaceus (Marasmius)		1129c
adnatus (Amanita)		35	anfractus (Phlegmacium)		705
adonis (Mycena)		185a	anguineus (Naucoria)		455
adusta (Russula)		1051	augulatus (Marasmius)		11265
ægerita (Pholiota)	•••	453	angulosus (Hydrocybe)		1178
æruginea (Russula)		1090	angustissimus (Clitocybe)	***	125
æruginosus (Stropharia)		551	anomalus (Dermocybe)	•••	776
æthiops (Leptonia)	•••	332a	anthracinus (Dermocybe)	•••	787a
ætites (Mycena)	•••	188a	antipus (Galera)	•••	463a
agathosnus (Hygrophorus)		913	aphthosus (Coprinus)	•••	666
aggregatus (Clitocybe)	•••	182	apicalis (Bolbitius)	•••	7208
agrarius (Psilocybe)	•••	622	apicreus (Flammula)		436
albellus (Tricholoma)	***	229	appendiculatus (Hypholoma		547
albido-tomentosus (Panus)		1144b	applicatus (Pleurotus)	•••	244c
albidus (Cantharellus)		1107a	aquosus (Collybia)		234
albo-brunneus (Tricholoma)		197		674,	675
albo-cyaneus (Dermocybe)		748	aratus (Psathyrella)		636
albo-cyaneus (Stropharia)		552	arbustivus (Hygrophorus)		896a
albo-nigra (Russula)		1016	archyropus (Marasmius)		1122b
albo-violaceus (Inoloma)		747	arcuatus (Tricholoma)		218a
albus (Tricholoma)		65	ardosiacus (Entoloma)	•••	328
		, 225	arenatus (Inoloma)	•••	763
Alexandri (Paxillus)		1162		70,	1177
algeriensis (Pilosace)		618	argentatus (Inoloma)		745
algidus (Pleurotus)		260b	argyraceus (Tricholoma)		947
alliaceus (Marasmius)	***	1128a	armeniaca (Russula)		1064

	PLATE		PLATE
armeniacus (Hydrocybe)	793	blattarius (Pholiota)	1172a
armillatus (Telamonia)	802	blennius (Lactarius)	988
arvalis (Naucoria)	479	Bloxami (Entoloma)	327
arvensis (Psalliota)	523	bolaris (Inoloma)	760
arvinaceus (Myxacium)	737	Boltoni (Bolbitius)	689
ZA LA	10	bombycinus (Volvaria)	293
asper (Amanita) aspideus (Lactarius)	1083	Bongardii (Inocybe)	331
asprellus (Leptonia)	1169b	borealis (Tricholoma)	956
asterophora (Nyctalis)	11907	bovinus (Telamonia)	822
asterosporus (Inocybe)	205	brevipes (Tricholoma)	60
	400	Brownii (Cantharellus)	1100 -
astragalinus (Flammula)	699	brumalis (Clitocybe)	114
atomatus (Psathyrella)	000		854, 868
atramentarius (Coprinus)	155	brunneus (Telamonia)	0H9
atratus (Collybia)	20	buccinalis (Omphalia)	107
atro-cinereus (Tricholoma)	52a	Bucknalli (Lepiota)	101
atro-cæruleus (Pieurotus)	243b	bufonius (l'richoloma)	015
atro-cyaneus (Mycena)	236b	bulbigenus (Entoloma)	90
atro-punctus (Eccilia)	3436	bulbiger (Armillaria)	004
atro-purpureus (Russula)	1087	bulbosus (Telamonia)	834
atro-rufus (Psilocybe)	571	bullacens (Psilocybe)	6086
atro-squamosus (Tricholoma		Bulliardi (Inoloma)	758
atro-tomentosus (Paxillus)	876	Bullii (Pluteus)	357
atro-virens (Phlegmacium)	736	bullula (Omphalia)	$252b$
augustus (Psalliota)	521	butyraceus (Collybia)	143
aurantiacus (Cantharellus)	1104	byssisedus (Claudopus)	\dots 344 c
aurantiacus (Lactarius)	1099		
aurantiacus (Stropharia)	555	cæsariatus (Inocybe)	388
aurata (Russula)	1080	calamistratus (Inocybe)	389
aureus (Hygrophorus)	8966	caliginosa (Nyctalis)	1132a
aureus (Pholiota)	346	caliginosus (Panæolus)	631a
auricomus (Inocybe)	233	callisteus (Inoloma)	774, 864
aurivellus (Pholiota)	351	calochrous (Phlegmacium)	713
autochthonus (Tubaria)	$514b$	calolepis (Crepidotus)	499b
azurea (Russula)	1088	calopus (Mycena)	$223a$
azureus (Dermocybe)	766	calopus (Marasmius)	1125b
•		calyptræformis (Hygrophor	
Babingtonii (Nclanea)	$377a$	campanella (Omphalia)	272a
Badhami (Lepiota)	25	campanulatus (Panæolus)	629
badipes (Naucoria)	491a	campestris (Psalliota)	526
badipus (Omphalia)	272b	camphoratus (Inoloma)	771
balaninus (Mycena)	156b	camphoratus (Lactarius)	1013
balaustinus (Hydrocybe)	794	camptophyllus (Omphalia)	210a
balteatus (Phlegmacium)	696	camurus (Dermocybe)	MOA
Barlæ (Russula)	1061	cancrinus (Clitopilus)	F 0.1
Batschianus (Entoloma)	326	candicans (Clitocybe)	00
belliæ (Omphalia)	251b	candidus (Marasmius)	1107.
bellus (Clitocybe)	183		F40
Berkeleyi (Phlegmacium)	706, 707	Candollianus (Hypholoma) caninus (Dermocybe)	F0-
betulina (Lenzites)	1145a	canofacieus (Psilocybe)	001
bicolor (Hydrocybe)	871		0.10
biformis (Telamonia)	869	caperatus (Pholiota)	1094
bifrons (Psathyra)	594	capillaris (Mycena)	0.04
biornatus (Lepiota)	37	capistratus (Pholiota)	470
bivelus (Telamonia)	852	capniocephalus (Hebeloma)	0
blandus (Tricholoma)	263b	Capitolices (113 photoma)	558

	n.	A 770.370		-	DT Amm
		ATE	sinonustantan (Muiah alama)		PLATE
caprinus (Hygrophorus)		016			1182
capsicum (Lactarius)		977		• • •	1446
caput-medusæ (Stropharia)	7.7	640		• • •	1181
carbonarius (Cantharellus)		.05		• • •	1078
carbonarius (Flammula)	4	42		• • •	248a
carcharias (Lepiota)		42		• • •	639
carneo-albus (Clitopilus)		324b			693
carneo-griseus (Eccilia)	§	380b			934a
carneus (Tricholoma)	• • •	96a	Clarkii (Inocybe)		429b
carpophilus (Naucoria)	5	613a	claroflava (Russula)		1196
carptus (Inocybe)	4	126	claviceps (Hebeloma)		410
cartilagineus (Tricholoma)		.66	alaminute (Masses)		208b
cascus (Hypholoma)		544	-1		80
castanens (Hydrocybe)		342	-1 (O.11 -1.'-)		147a
catarius (Hypholoma)		76	-1!4 !1 (Till- 1-)		500
catinus (Clitocybe)		11	-liman ata (Dutta anta)	•••	969
caudatus (Psathyrella)		337	07		1031
cauticinalis (Marasmius)		34b	-111:- (CL.11 -1-1-)		2476
centunculus (Naucoria)	-	301a	-1	• • •	319
cepæstipes (Lepiota)		5		• • •	
		9046		• •	38
ceraceus (Hygrophorus)				• • •	920
cerasinus (Hygrophorus)		398		• • •	131c-
cerinus (Tricholoma)	•••	95b		•••	1142a
cernus (Psilocybe)		574		•••	952b
cerodes (Naucoria)		189 b		• • •	96b
cerussatus (Clitocybe)		121		• • •	372b
cervinus (Pluteus)		301		• • •	1052
chalybeus (Leptonia)		335	cœrulescens (Phlegmacium) 7	721	, 722
chamæleontina (Russula)		098		• • •	573
chelidonius (Mycena)	2	207a	cœspitosus (Omphalia)	• • •	209b
chimonophilus (Crepidotus)	!	515a	cohærens (Marasmius) .		1128b
chionæus (Pleurotus)	2	212d	Colemannianus (Hygrophoru	s)	903
c'ilorophanus (Hygrophorus) 🤅	909	collariatus (Mycena)		189c
chloropolius (Leptonia)	8	337	collinitus (Myxacium)		738
chondrodermus (Psilocybe)	6	306a	- 11:- (0 11 1 1)		205
chrysites (Tricholoma)		947	1 /TI !-1 -1 - \		75
chrysodon (Hygrophorus)		885	- 1 1 (11 1 1 1		48
chrysophæus (Pluteus)	8	306		•••	953
chrysophyllus (Omphalia)		152a	solus (II - dura-h-)	• • •	795
chrysorrhæus (Lactarius)		984	1 /0 1	•••	658
cibarius (Cantharellus)		103	(0.11 1.11)		11146
cidaris (Naucoria)		451	(T)1 11 1 1 1	••	600
cilicioides (Lactarius)		973	- (D -111)		533
cimicarius (Lactarius)		013b	(D) 1 1 1	• • •	589a
cincinnatus (Inocybe)		425b		• • •	1149a
cinerascens (Clitocybe)		151b		• • •	
		170	(O 11 -1:-)	•••	463b
cinerascens (Tricholoma)				• • •	1506
cinereus (Cantharellus)		$\frac{110a}{c71}$		• • •	679
cinereus (Coprinus)		671	'	• • •	908
cinereus (Hygrophorus)		932b	(1731 1)	•••	130
cinnabarinus (Dermocybe)		785b		• • •	445
cinnabarinus (Lepiota)		43			1160
cinnamomeus (Dermocybe)	777,				1158
circellatus (Lactarius)		990			.1186
circinatus (Pleurotus)	2	2576	consobrina (Russula)	• • •	1055

	PLATE		PLATE
conspersus (Naucoria)	512a	damascenus (Hydrocybe)	856
constrictus (Armillaria)	40	dealbatus (Clitocybe)	104, 173
controversus (Lactarius)	1003	debilis (Mycena)	189a
	071	decipiens (Flammula)	4386
	0.407	decipiens (Hydrocybe)	7001
Cookei (Telamonia)	000		F 00
coprophilus (Psilocybe)	1507	decolorans (Phlegmacium) decolorans (Russula)	1070
coracinus (Collybia)	707		
coronillus (Stropharia)	535	decoloratus (Phlegmacium)	0 = 0
corrosus (Phlegmacium)	715	decumbens (Dermocybe)	816a
corrugis (Psathyra)	579, 592	degener (Xerotus)	1150b
corticatus (Pleurotus)	290	deglubens (Inocybe)	394
corticola (Mycena)	164a	delibutus (Myxacium)	743
coruscans (Phlegmacium)	733	deliba (Russula)	1068
cossus (Hygrophorus)	887	delicatus (Lepiota)	18b
costatus (Entoloma)	320a	deliciosus (Lactarius)	982
costatus (Psalliota)	528a	deliquescens (Coprinus)	678
cotoneus (Dermocybe)	749	demissus (Omphalia)	250a
craspedius (Pleurotus)	256	densifolia (Russula)	1017
crassifolius (Tricholoma)	92	depallens (Russula)	1021
crassus (Paxillus)	877	depluens (Claudopus)	344b
crassus (Phlegmacium)	695	depressus (Hydrocybe)	860
cremor (Lactarius)	1008	destrictus (Inocybe)	387
crenatus (Psathyrella)	847	devexus (Cantharellus)	1150a
cretaceus (Lepiota)	942	diabolicus (Dermocybe)	816b
cretaceus (Psalliota)	524	diatretus (Clitocybe)	232
cretatus (Clitopilus)	$375b$	dibaphus (Phlegmacium)	753
crispa (Trogia)	1114a	difformis (Clitocybe)	122
cristatus (Lepiota)	29	dilutus (Hydrocybe)	810
crobulus (Tubaria)	496	directus (Omphalia)	251a
crocatus (Mycena)	163 <i>b</i>	discoideus (Hygrophorus)	912
croceo-cæruleus (Phlegmaciu		discopus (Mycena)	1926
croceo-conus (Dermocybe)	780b	dispersus (Hypholoma)	586
croceofulvus (Telamonia)	1193	dispersus (Naucoria)	5116
croceus (Dermocybe)	780a	disseminatus (Psathyrella)	657 <i>b</i>
cruentatus (Pholiota)	502	dissiliens (Mycena)	285a
cruentus (Mycena)	162b	dissimulans (Pholiota)	371
crustuliniformis (Hebeloma)		distans (Hygrophorus)	902
/37	728	distortus (Collybia)	282, 652
cucumis (Naucoria)	452 $$ 726	ditopus (Clitocybe)	116
	F 3.7	dolabratus (Hydrocybe)	811
cuneifolius (Tricholoma)	52b	domesticus (Coprinus)	684
	$1095b$	drimæia (Russula)	1023
	602	dryinus (Pleurotus)	226
	1110b	dryophilus (Collybia)	204
	398	dulcamarus (Inocybe)	5826
	1130b	Danalii (Lentinus)	1139b
	370b	Duportii (Russula)	1042 <i>b</i>
	24, 1040	duracinus (Hydrocybe)	809
	264	duracinus (Tricholoma)	640
	699	durus (Pholiota) ;	423
cyanoxantha (Russula) 1043, 1	' I	-bennama (Hagmanhar)	990
	113	eburneus (Hygrophorus)	886
	1085	echinatus (Inocybe)	395
cyphellæformis (Pleurotus).	2445	ectypus (Clitocybe)	126

	PLATE		I	LATE
egenulus (Hypholoma)	605a	farinaceus (Panus)		11446
egregius (Panæolus)	624	fasciatus (Hydrocybe)	•••	814
elæodes (Hypholoma)	562	fasciatus (Inocybe)	•••	1173
elatior (Myxacium)	741, 742	fascicularis (Hypholoma)		561
elatus (Hebeloma)	962	fastibilis (Hebelonia)	•••	406
electicus (Mycena)	249c	fastigiatus (Inocybe)		383
elegans (Mycena)	284a	fatuus (Psathyra)		-595a
elegans (Russula)	1027	felinus (Lepiota)		943a
elixus (Clitocybe)	280	fellea (Russula)		1058
elvensis (Psalliota)	522	fertilis (Entoloma)		316
1 .1 ((11.1	E14-	festivus (Naucoria)	490a	
	1030	fibrillosus (Psathyra)		595b
emoliitus (Phlegmacium)	FOR	C1 /T - 1	•••	454
emplastrum (Lepiota)	1104	C1 1 (O` 1 1' \	•••	274
empyrenmaticus (Psathyre		C1' (E1 1)	•••	450
	PIR		***	686b
ephebins (Pluteus)	00-7	filiformis (Coprinus)	•••	432
ephemerus (Coprinus)	6856	filius (Flammula)	***	
epibryus (Crepidotus)	516c	filopes (Mycena)	***	161a
epichlöe (Marasmius)	1136a	finibriatus (Pleurotus)	•••	178a
epigæus (Crepidotus)	516a	fimbriatus (Lentinus)		1148a
	$ \frac{1137a}{2000}$	fimetarius (Coprinus)	•••	669
epipterygius (Mycena)	208a	fimicola (Paræolus)	• • •	6326
epixanthus (Hypholoma)	560	fimiputris (Panæolus)	• • • •	625
equestris (Tricholoma)	72	fingibilis (Russula)		1048
erebius (Pholiota)	358	firmus (Hebeloma)	• • •	409
ericæns (Psilocybe)	568	firmus (Hydrocybe)	• • •	792
ericetorum (Clitocybe)	138	flabelliformis (Lentinus)	•••	1148b
erinaceus (Naucoria)	480a	flabellus (Telamonia)	• • •	8246
ermineus (Lepiota)	40	flaccida (Lenzites)	• • •	11456
erubescens (Hygrophorus)	888	flaccidus (Clitocybe)	• • •	123
erythrinus (Hydrocybe)	798a	flammans (Pholiota)	•••	368
erythropus (Marasmius)	\dots 1123 b	flavidus (Flammula)		444
escharoides (Naucoria)	512b	flavipes (Mycena)	•••	951b
esculentus (Collybia)	152a	flavo-albus (Mycena)		159b
euchrous (Leptonia)	334	flavo-brunneus (Tricholoma	ı)	58
euosmus (Pleurotus)	196	flexipes (Telamonia)		824a
eustygius (Collybia)	1185	flexuosus (Lactarius)		992
eutheles (Inocybe)	386	floccifer (Flammula)		438a
evernius (Telamonia)	821, 865	floccipes (Collybia)		1168
exannulatus (Psalliota)	528b	flocculosus (Coprinus)		677
excelsus (Amanita)	7	flocculosus (Inocybe)		393
excisus (Mycena)	148	fluxilis (Pleurotus)		244a
excoriatus (Lepiota)	23	focalis (Armillaria)		245
eximius (Pluteus)	302	fodiens (Collybia)		949
expallens (Clitocybe)	220	fœnisecii (Psilocybe)		590
expallens (Russula)	1029	fætens (Hygrophorus)		903
exscissus (Tricholoma)	171	fœtens (Russula)		1046
exsculptus (Collybia)	268a	fœtidus (Marasmius)		1134a
exstinctorius (Coprinus)	668	formosus (Leptonia)	• • •	488
exsuccus (Lactarius)	981	fornicatus (Hygrophorus)	•••	933
extenuatus (Paxillus)	874	fragilis (Bolbitius)		720a
extuberans (Collybia)		fragilis (Russula)		1091
(1010)		fragrans (Clitocybe)	•••	124
fallax (Russula)	1059	Friesii (Cantharellus)		11316
fallax (Tricholoma)	1151a	Friesii (Lepiota)	***	941
(1 -2027			1

			1		
	1	LATE		F	LATE
frumentaceus (Tricholoma)		470	griseo-pallidus (Omphalia)	•••	2416
fucatus (Tricholoma)		73	griseo-rimosus (Tricholoma)		261
fulgens (Phlegmacium)		716	griseo-rubellus (Eccilia)		613a
fuliginosus (Lactarius)		996	griseus (Omphalia)	***	210b
fulmineus (Phlegmacium)		717	gummosus (Flammula)		441
fulvellus (Tricholoma)		57	guttatus (Tricholoma)		59
	175	, 645 .	gympopodius (Flammula)		431
		1086	gypsens (Mycena)	•••	952a
furfuraceus (Tubaria)		603	gyroflexus (Psathyra)	•••	970
fuscescens (Coprinus)		663			
fusco-albus (Hygrophorus)		899	hæmactus (Inocybe)		390
fusco-purpureus (Marasmiu		11216	hæmatites (Armillaria)		45
fusipes (Collybia)	•••	141	hæmatochelis (Telamonia)		803
		, 434	hæmatopus (Mycena)	•••	162an
Tubub (Liammida)	100	, 101	hæmorrhoidarius (Psalliota		531
gadinoides (Pleurotus)		276a	hamadryas (Naucoria)	_	965
galericulatus (Mycena)	•••	222	hariolorum (Collybia)	•••	150a
gallinaceus (Clitocybe)	•••	174	haustellaris (Crepidotus)	•••	515a
galochroa (Russula)	•••	1089	1 1 1 /5 11 1 1	•••	589b
	•••	207b	1 1 1 1 1 (5)	•••	
galopus (Mycena)	•••	63	1 1 1 / 13/ 1	320	579
gambosus (Tricholoma)	•••	-			373
gentilis (Felamonia)	• • • •	806	helomorphus (Flammula)	•••	449a
geophyllus (Inocybe)	•••	401	helvelloides (Telamonia)	•••	836
Georginæ (Lepiota)	•••	132	helvolus (Telamonia)	•••	8046
geotropus (Clitocybe)	• • •	83	helvus (Lactarius)	***	994
germanus (Hydrocybe)	•••	844	hemerobius (Coprinus)	•••	687a
giganteus (Clitocybe)	•••	106	hemitrichus (Telamonia)	• • •	825
gilvus (Clitocybe)	• • •	136	Hendersonii (Coprinus)	•••	680a
glandicolor (Telamonia)	•••	879	hepaticus (Omphalia)	•••	250b
glandiformis (Naucoria)	• • •	4906	Herefordiensis (Pholiota)	• • •	347
glareosus (Psathyra)	• • •	5916	herpeticus (Phlegmacium)	• • •	849
glaucophyllus (Omphalia)	• • •	959b	heteroclitus (Pholiota)	•••	366
glaucopus (Phlegmacium)	•••	712)44,	
glaucus (Cantharellus)	•••	1115b	hiascens (Psathyrella)	•••	635
gliodermus (Lepiota)	• • •	118a	hiemalis (Mycena)	•••	164b
gloiocephalus (Volvaria)	•••	298	hinnuleus (Telamonia)	***	805
glutinifer (Hygrophorus)	• • •	889	hirneolus (Clitocybe)	• • •	246b
glutinosus (Gomphidius)	• • •	879	hispidulus (Pluteus)	•••	304b
glutinosus (Hebeloma)	• • •	430	hispidus (Lepiota)	27, :	1180
glyciosmus (Lactarius)		1011	hiulcus (luocybe)		397
	31,	1165	Hobsoni (Pleurotus)		212a
	• • •	580a	holosericeus (Lepiota)		41
gossypinus (Psathyra)		612a	horizontalis (Naucoria)		601 <i>b</i>
gracilentus (Lepiota)		28	hortensis (Psalliota)		527
gracilis (Gomphidius)		883	Houghtoni (Cantharellus)	•••	1107b
gracilis (Psathyrella)		634	Houghtoni (Hygrophorus)		936
gracillimus (Omphalia)		252a	Hudsoni (Marasmius)		1135b
grallipes (Myxacium)		734	humilis (Tricholoma)		263
graminicola (Naucoria)	•••	513b	hybridus (Flammula)		615
graminum (Marasmius)		11296	hydrogrammus (Omphalia)		239
		98	hydrophilus (Hypholoma)		6058
1 (0 11 1/1)		1159	hydrophorus (Psathyrella)		655b
(D		1038	hypnophilus (Pleurotus)		212c
granulosus (Lepiota)		18	hypnorum (Galera)		465
· / / / / / / / / / / / / / / / / / / /		3186	hypothejus (Hygrophorus)		891
G (,	- 1 3 () B [0 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		

		i	
	PLATE		PLATE
hypoxanthus (Hypholoma)	513	jubatus (Entoloma)	317
hypsipus (Stropharia)	619	juncicola (Mycena)	193c
hysginus (Lactarius)	989	jancinus (Flammula)	475
hystrix (Inocybe)	524	Junghuhnii (Hydrocybe)	846a
		Junonius (Pholiota)	369
ianthinus (Lepiota)	9442		•
ichoratus (Lactarius)	1000	Krombholzii (Hydrocybe)	813
iliopodius (l'elamonia)	8398		
illuminus (Hydrocybe)	841	laccatus (Clitocybe)	139
imbricatus (Tricholoma)	199	laceratus (Collybia)	269
imbutus (Hydrocybe)	870	lacerus (Inocybe)	583
immaculatus (Collybia)	221	lacmus (Hygrophorus)	935b
immundus (Tricholoma)	61	lacrymabundus (Hypholor	
impennis (Telamonia)	853	lactea (Russula)	1000
impudicus (Marasmius)	11047	1 2 / /35	150
inamænus (Tricholoma)	4 1979	lætus (Hygrophorus)	933
inauratus (Flammula)	000	lagopus (Coprinus)	681
incanus (Leptonia)	336	lampropus (Leptonia)	331
incarnata (Russula)	1071	lanaripes (Hypholoma)	545
incarnatus (Inocybe)	473	languidus (Marasmius)	1126c
incilis (Clitocybe)	281a	laniger (Telamonia)	800
incisus (Telamonia)	807	lanuginosus (Inocybe)	582a
infractus (Phlegmacium)	704	largus (Phlegmacium)	701
infucatus (Dermocybe)	781	lascivus (Tricholoma)	94
infundibuliformis (Canthare	llus) 1109	lateritius (Galera)	460
infundibuliformis (Clitocybe) 107, 646	latissimus (Naucoria)	482
ingratus (Collybia)	283	lauro-cerasi (Pleurotus)	242a
injucandus (Telamonia)	823	laxipes (Collybia)	184b
innocuus (Naucoria)	489a	lazulinus (Leptonia)	549
inodermeus (Tricholoma)	945	Leightoni (Pleurotus)	260a
inolens (Collybia)	154a	leuticularis (Lepiota)	17
inopus (Flammula)	446	lentus (Flaminula)	439, 440
inornatus (Clitocybe)	246a	leochromus (Pholiota)	363
inquilinus (Tubaria)	497	leoninus (Pluteus)	421
insititius (Marasmius)	1135a		1072, 1073
	11-7		1140, 1141
instratus (Hypholoma)	077	lepidopus (Dermocybe)	
insulsus (Lactarius)		lepista (Paxillus)	0-0
	034, 1093		
integrellus (Omphalia)	2520	leporinus (Hygrophorus)	930
intensior (Russula)	1066	leptocephalus (Mycena)	187a
intermedia (Russula)	1056	leptopus (Paxillus)	929
intermedius (Hygrophorus)	907	leucocephalus (Tricholoma)	
inunctus (Stropharia)	534	leucogalus (Mycena)	653
inversus (Clitocybe)	84	leucomyosotis (Collybia)	651
involutus (Lactarius)	1194	lencophanes (Panæolus)	\dots 927 a
involutus (Paxillus)	875	leucophæus (Cantharellus)	\dots 1111 α
ionides (Tricholoma)	\dots 95a	leucophyllus (Omphalia)	288a
iris (Mycena)	1618	leucopus (Hydrocybe)	\dots 843 b
irrigatus (Hygrophorus)	919	leucotephrus (Hypholoma)	548
isabellinus (Hydrocybe)	829	licinipes (Telamonia)	819
ischnostylus (Hebeloma)	420	licmophorus (Lepiota)	1179
		lignatilis (Pleurotus)	257a
Jasonis (Armillaria)	955	lilacea (Russula)	1054
Jerdoni (Stropharia)	541	lilacinus (Lactarius)	998a
jubarinus (Hydrocybe)	797	limacinus (Hygrophorus)	897
() 4200)		70-1	

	PLATE		PLATE
limonius (Telamonia)	804a	melleus (Armillaria)	32
limpidus (Pleurotus)	276b	membranaceus (Clitocybe)	646
lineatus (Mycena)	185b	merdarius (Stropharia)	537, 1188
Linnæi (Russula)	1026	mesomorphus (Lepiota)	850
liquescens (Entoloma)	581	mesophæus (Hebeloma)	411, 412
livido-albus (Hygrophorus)	915	mesotephrus (Hygrophor	
livido-ochraceus (Myxacium		metachrous (Clitocybe)	115
lividus (Entoloma)	311	metapodius (Hygrophorus)	918
lividus (Paxillus)	861	metatus (Mycena)	238b
lixivius (Tricholoma)	120b	metulæsporus (Lepiota)	32
lobatus (Cantharellus)	1112b	micaceus (Coprinus)	673
lobatus (Clitocybe)	137	micaceus (Hygrophorus)	905b
longicaudus (Hebeloma)	415, 416	microcyclus (Telamonia)	865
longipes (Collybia)	201	micropholis (Lepiota)	9435
Loveianus (Volvaria)	295		596a
lucifugus (Inocybe)	429a	militaris (Tricholoma)	169
lucorum (Telamonia)	1192	miltinus (Dermocybe)	785
lugubris (Naucoria)	1187	milvinus (Hydrocybe)	846b
luridus (Tricholoma)	214	mimicus (Collybia)	129
lustratus (Phlegmacium)	799	miniatus (Hygrophorus)	921a
lutea (Russula)	1082	minimus (Lactarius)	986b
luteo-albus (Mycena)	159a	minutus (Galera)	466b
luteo-nitens (Stropharia)	604	mirabilis (Mycena)	951a
luxurians (Pholiota)	365	mitis (Pleurotus)	211
•		mitissimus (Lactarius)	1001
macilentus (Collybia)	268b	mixtus (Flammula)	474
macrocephalus (Coprinus)	632a	mniophilus (Galera)	466a
macropus (Telamonia)	788	mollis (Crepidotus)	498
macrorhizus (Coprinus)	670	mollis (Hygrophorus)	9216
macrorhizus (Tricholoma)	278	molliscorium (Pholiota)	1171
maculata (Russula)	1069	monstrosus (Clitocybe)	648
maculatus (Gomphidius)	882	monstrosus (Lactarius)	995
maculatus (Collybia)	142	mucidus (Armillaria)	16
magnificus (Amanita)	34	mucifluus (Myxacium)	740
magnimamma (Hebeloma)	508a	mucosus (Myxacium)	739
malachius (Inoloma)	756	mucronellus (Hygrophorus)	9376
mammosus (Lactarius)	995	Mulleri (Pholiota)	471
mammosus (Nolanea)	377b	multiformis (Phlegmacium)	708, 709
mappa (Amanita)	4	multiformis (Tricholoma)	946
margarispora (Inocybe)	505	mundulus (Clitopilus)	375a
marginatus (Pholiota)	372	muralis (Omphalia)	250c
maritimus (Inocybe)	392	muricinus (Inoloma)	815
martialis (Lepiota)	\dots 944b	murinaceus (Tricholoma)	49
mastiger (Psathyra)	591a	murinus (Collybia)	1198
mastoideus (Lepiota)	24	muscarius (Amanita)	117
mastrucatus (Pleurotus)	\dots 243 α	muscigenus (Cantharellus)	1115a
maurus (Omphalia)	287a	muscigenus (Collybia)	147 c
maximus (Clitocybe)	135	muscorum (Tubaria)	11758
medius (Volvaria)	300a	mussivus (Hebeloma)	405
medullatus (Lepiota)	44	mustelina (Russula)	1018
megalodactylus (Amanita)	11	mustelinus (Pholiota)	356a
melaleucus (Tricholoma)	119	mutabilis (Pholiota)	355
melaspermus (Stropharia)	536	muticus (Inocybe)	382
meleagris (Lepiota)	26	mutilus (Pleurotus)	275b
melinoides (Naucoria)	\dots 457 a	mycenoides (Pholiota)	5036

	DI AME	DI ATE
· · · · · · · · (((1 · · · ·)	PLATE	PLATE
mycenopsis (Galera)	4676	ochroviridis (Russula) 1100
myosotis (Naucoria)	494	odorus (Clitocybe) 101
myrtillinus (Dermocybe)	817	œdipus (Hypholoma) 587a
(7)1	004	offuciatus (Omphalia) 287b
nanus (Pluteus)	305	olivacea (Russula) 1041
napus (Phlegmacinm)	710	olivaceo-albus (Hygrophorus) 890
narcoticus (Coprinus)	6808	olivaceo-marginatus (Mycena) 959a
nasutus (Naucoria)	1172	olivascens (Russula) 1035
naucinus (Lepiota)	15	ombrophilus (Pholiota) 359
	102, 1147	oniscus (Omphalia) 209a
nauseosus (Hebeloma)	963	opacus (Clitocybe) 176
nebularis (Clitocybe)	79	opiparus (Clitocybe) 1183
nemorensis (Phlegmacium)	863	orcella (Clitopilus) 323
nemoreus (Hygrophorus)	931	orcelloides (Paxillus) 874b
neptuneus (Clitocybe)	\dots 200 b	oreades (Marasmius) 1118
nictitans (Tricholoma)	56	oreinus (Tricholoma) 218b
nidorosus (Entoloma)	321	orellanus (Dermocybe) 787b
nigricans (Russula)	1015	orichalceus (Phlegmacium) 754
nigripes (Nolanea)	$1170a$	ori-rubens (Tricholoma) 90
nigrocinnamomeus (Entolon	na) 1153	ostreatus (Pleurotus) 195
nitellinus (Collybia)	146	ovalis (Galera) 462
nitens (Flammula)	1154	ovatus (Coprinus) 659
	062, 1063	ovinus (Hygrophorus) 934b
nitidus (Amanita)	70	
nitidus (Myxacium)	1191	pædidus (Tricholoma) 120a
nitratus (Hygrophorus)	925	paleaceus (Telamonia) 826
nitrosus (Telamonia)	837	pallidus (Hygrophorus) 932a
nivalis (Amanita)	940	pallidus (Lactarius) 1007
nivea (Russula)	1060b	paludosus (Tubaria) 484
niveus (Coprinus)	672b	panæolus (Paxillus) 873a
niveus (Hygrophorus)	900a	panæolus (Tricholoma) 97
noli-tangere (Psathyra)	612b	pantherinus (Amanita) 6
nuceus (Naucoria)	490a	pantoleucus (Pleurotus) 179, 275a
nucisedus (Psilocybe)	6098	panuoides (Paxillus) 878
nudipes (Hebeloma)	418	papilionacedus (Panæolus) 630
nudus (Tricholoma)	67, 133	papillatus (Coprinus) 676b
nummularius (Collybia)	1516	papulosus (Phlegmacium) 718
nycthemerus (Coprinus)	6826	parabolicus (Mycena) 224a
		paradoxus (Paxillus) 884
obbatus (Clitocybe)	230	parasitica (Nyctalis) 1113
oblectus (Coprinus)	661	parilis (Clitocybe) 281b
obliquus (Lactarius)	10146	Parkensis (Eccilia) 380a
obnubilis (Lactarius)	1014a	parvulus (Volvaria) 299
obrusseus (Hygrophorus)	906	pascuns (Nolanea) 376
obscurus (Inocybe)	427	patellaris (Panus) 1144c
obsoletus (Clitocybe)	233	pateriformis (Hydrocybe) 858
obtusatus (Psathyra)	593	patricius (Pluteus) 565
obtusus (Hydrocybe)	845a	patulus (Tricholoma) 279
obtusus (Naucoria)	1155	pauper (Lactarius) 1008
occultus (Clitocybe)	1184	pauperculus (Mycena) 236a
ocellatus (Collybia)	1476	pectinata (Russula) 1101
ochracea (Russula)	1050	pediades (Naucor a) 492
ochrochlorus (Flammula)	616	pelianthinus (Mycena) 156a
ochroleuca (Russula) 10	49, 1196	pelliculosus (Mycena) 191a
1 2 (1)	775	pellitus (Pluteus) 597

			1		
		PLATE			PLATE
pellospermus (Psathyra)		577	porphyropus (Phlegmacium	•	731
pellucidus (Tubaria)		1175a	porreus (Marasmius)	• • •	1133
penarius (Hygrophorus)		895b	porrigens (Pleurotus)	• • •	259a
penicillatus (Inoloma)		764	porriginosus (Naucoria)	•••	510
pennatus (Psathyra)	•••	5806	portentosus (Tricholoma)	•••	54
perbrevis (Inocybe)	• • •	519		34a,	11526
Percevalii (Stropharia)	• • •	550	præcox (Pholiota)	•••	360
perforans (Marasmius)	• • •	1130c	prasinus (Phlegmacium)	•••	735
pergamenus (Clitocybe)	• • •	643	prasiosmus (Marasmius)	•••	1120
pergamenus (Lactarius)	• • •	978	pratensis (Hygrophorus)	•••	917
periscelis (Telamonia)	• • •	838	pratensis (Psalliota)	•••	525
perlatus (Inocybe)	• • •	961	privignus (Hydrocybe)	• • •	827
peronatus (Marasmius)	• • •	1117	procerus (Lepiota)	•••	21
personatus (Tricholoma)	• • •	66	proliferus (Mycena)	•••	235
pes-capræ (Tricholoma)	• • •	946	prolixus (Collybia)	• • •	950
petaloides (Pleurotus)	• • •	258a	pronus (Psathyrella)	•••	656
petasatus (Pluteus)	• • •	303	protractus (Collybia)	•••	270a
petiginosus (Hebeloma)		5086	pruinosus (Clitocybe)	•••	231
pezizoides (Crepidotus)	• • •	516d	prunuloides (Entoloma)	• • •	312
phæocephalus (Inocybe)	• • •	396	prunulus (Clitopilus)	•••	322
phalænarum (Panæo'us)		626	psammicola (Mycena)		186a
phalloides (Amanita)	• • •	2	psammocephalus (Telamonia	à)	839a
Phillipsii (Crepidotus)	• • •	515c	psathyroides (Collybia)		266
philonotis (Omphalia)	***	2896	pseudo-androsaceus (Omphal	ia)	241a
pl lebophorus (Pluteus)	• • •	422a	pseudopurus (Mycena)	• • •	158a
pholideus (Inoloma)	•••	761	psittacinus (Hygrophorus)	•••	910
phyllophilus (Clitocybe)	•••	81	pterigenus (Mycena)	•••	192c
physalodes (Psilccybe)	•••	609a	pubescens (Lactarius)	•••	974
picaceus (Coprinus)	•••	665	pudicus (Pholiota)	•••	362
picens (Nolanea)	•••	379a	pudorinus (Hygrophorus)	•••	911
picinus (Lactarius)	•••	997	puellaris (Russula)	•••	1065
picreus (Flammula) pictipes (Russula)	•••	448	pulchralis (Russula)	•••	1095a
minture (Oursele 11.)	•••	$\frac{1086}{272c}$	pullatus (Mycena)		237 $895a$
pinetorum (Inoloma)	• • •	746	pulverulentus (Hygrophoru	- 1	
piperatus (Lactarius)	•••	979	pumilus (Pholiota)	•••	$\frac{503a}{1032}$
pisciodorus (Nolanea)	• • •	378a	punctata (Russula)	•••	855
pithyophilus (Clitocybe)	•••	103a	punctatus (Telemonia)	•••	587 <i>b</i>
placenta (Entoloma)	•••	314	punctulatus (Hypholoma)	•••	922
placidus (Leptonia)		330	puniceus (Hygrophorus) purpurascens (Phlegmacium	179	
plancus (Marasmius)	•••	1119a	purpurascens (Psalliota)	•	584
platypus (Coprinus)		687b	purpuratus (Flammula)	***	964
platyphyllus (Collybia)		128	(D.,,,,1,)	•••	1022
plexipes (Collybia)	•••	1546	Samuel (Mariana)	•••	157
plicatilis (Coprinus)		686a	purus (Mycena) pusiolus (Naucoria)		4576
plicato-crenatus (Mycena)		248b	putidus (Tricholoma)	•••	172
plicosus (Mycena)		2856	pygmæo-affinis (Galera)	•••	4816
plumosus (Inocybe)		425a	pyriodorus (Inocybe)	•••	472
pluvius (Myxacium)		769	pyrogalus (Lactarius)	•••	993
polioleucus (Tricholoma)		957	pyrotrichus (Hypholoma)	•••	564
polyadelphus (Marasmius)		11376	pyxidatus (Omphalia)	•••	1946
polygrammus (Mycena)		223b	quadricolor (Telamonia)	•••	867
polystictus (Lepiota)	•••	30	Queletii (Russula)		1028
popinalis (Critopilus)	•••	485	quietus (Lactarius)		983
porphyroleucus (Tricholome		1196	quinquepartitus (Tricholon		74
	,		T. Tarbarana (-Tronoron		


	-				
/	PI	ATE	(0.)		PLATE
rachodes (Lepiota)	***	22	rnbiginosus (Galera)	•••	464b
radians (Coprinus)	•••	676a	rubra (Russula)	***	1025
radiatus (Coprinus)	***	683a	rubricatus (Naucoria)	• • •	509c
radicatus (Collybia)		140	rubriceps (Chitonia)		967
radicatus (Hebeloma)		416	rubromarginatus (Mycena)		284b
radicosus (Cantharellus)	1	105	rufescens (Lepiota)		213a
radicosus (Pholiota)		361	rufipes (Cantharellus)		1131b
Ralfsii (Crepidotus)		516d	rufo-carneus (Nolanea)	•••	3786
ramealis (Marasmius)		1276	rufus (Lactarius)		985
ramentaceus (Armillaria)		71		•••	186b
*1 (0 11 1 1)		153a	rugosus (Mycena) russo-coriaceus (Hygrophor		9006
		833a	russula (Tricholoma)	,	926
raphanoides (Dermocybe)		467a		•••	751
ravidus (Galera)			russus (Phlegmacium)	• • •	
redimitus (Inoloma)		773	rusticus (Omphalia)	1 507	959c
Reedii (Hydrocybe)		843a	Ruthæ (Pleurotus)		6, 654
reflexus (Cautharellus)		150a	rutilans (Tricholoma)	•••	89
renidens (Hydrocybe)		782			
reniformis (Pleurotus)		276c	sacchariferus (Mycena)	• • •	192a
Rennyi (Inocybe)	***	52 0	saccharinus (Marasmius)	•••	1136c
repandus (Enteloma)	•••	313	Sadleri (Clitocybe)		127
resplendens (Tricholoma)	•••	55	sagatus (Psalliota)	•••	968
resutus (Entoloma)		318a	saginns (Phlegmacinm)		703
reticulatus (Pluteolus)		495	salicinus (Pluteus)		1169a
reticulatus (Pluteus)		4226	salignus (Pleurotus)		228
retirugus (Cantharellus)		112a	salor (Myxacium)		768
retirugis (Panæolus)		627	sambucinus (Inocybe)	•••	399
1 10 1 11 1		2726	sanguinea (Russula)		1019
	•••	862	sanguineas (Dermocybe)	•••	786
revolutus (Plannetus)		180		•••	163a
revolutus (Pleurotus)	•••		sanguinolentus (Mycena)	• • • •	
rhodocylix (Eccilia)	•••	343a	sapida (Russula)	• • •	1087
rhodopolius (Entoloma)	•••	342	sapidus (Pleurotus)	***	954
Riederi (Phlegmacium)	•••	702	sapineus (Flammula)	•••	447
rigens (Hydrocybe)	•••	812	saponaceus (Tricholoma)		, 216
rigidus (Telamonia)		791	sarcocephalus (Psilocybe)		, 620
rimoso squamosus (Coprinus	s)	664	sardonia (Russula)	•••	1037
rimosus (Inocybe)	•••	384	saturninus (Hydrocybe)		828
rimulincola (Naucoria)	•••	509b	Saundersii (Entoloma)		306
rivulosus (Belbitins)		928b	scabellus (Inocybe)		402
rivulosus (Clitocybe)		200a	scaber (Inocybe)		391
robustus (Armillaria)		3, 86	scalpturatus (Tricholoma)		215
robustus (Tricholoma)	•••	217	scambus (Flammula)	•••	4495
roridus (Mycena)	•••	248c	scandens (Hydrocybe)	•••	830
rosacea (Russula)		1020	scaurus (Phlegmacium)	•••	755
roseipes (Hygrophorus)		893	Schæfferi (Telamonia)		790
ner (Dani)		1081	schistus (Inocybe)		504
manallum (Manama)		131a	Schumacheri (Tricholoma)	•••	168
	•••	598		•••	
roseo-albus (Fluteus)	•••	469	sciophanus (Hygrophorus)	•••	937a
roseus (Entoloma)	•••		scitulus (Panæolus)	•••	927b
roseus (Gomphidius)	***	880	scobicola (Psilocybe)	•••	607
rotula (Marasmius)		1129a	scobinaceus (Stropharia)	•••	1189
rubellus (l'elamonia)	•••	835	scolecinus (Naucoria)	•••	4916
rubescens (Amanita)	9,	1163	scorodonius (Marasmius)	• • •	1125a
rubescens (Collybia)	•••	650	scortens (Marasmins)	***	1119b
rubi (Crepidotus)	• • •	515b	scotions (Lactarius)	• • •	1004b
rubidus (Nclanea)		340b	scoticus (Lentinus)	•••	1143
			•		

	PLATE		PLATE
scrobiculatus (Lactarius)	971	spilopus (Pluteus)	325
scutulatus (Telamonia)	820a	spinosulus (Lactarius)	9988
sebaceus (l'hlegmacium)	697	spintriger (Stropharia)	542
sejunctus (Tricholoma)	53	spinulosus (Clitocybe)	177
semibulbosus (Pluteus)	518a	spissus (Amanita)	69
semicrema (Russula)	1067	splachnoides (Marasmius)	1130a
semiflexus (Naucoria)	509a	splendens (Clitocybe)	109
semiglobatus (Stropharia)	539	spodoleucus (Marasmius)	1137c
semilanceatus (Psilocybe)	572, 573	spongiosus (Pleurotus)	253
seminudus (Lepiota)	19a	Spraguei (Coprinus)	683 <i>b</i>
semiorbicularis (Naucoria)	493a	spumosus (Flammula)	476
semisanguineus (Dermocybe)			04a, 1195
semitalis (Collybia)	292	squamosus (Hypholoma)	558
semitinctus (Psathyra)	594b	squamosus (Stropharia)	553
semivestitus (Psathyra)	578	squarrosus (Pholiota)	367
senescens (Hebeloma)	407	stagninus (Tubaria)	468
senilis (Clitocybe)	110	stanneus (Mycena)	188b
separatus (Panæolus)	623	stans (Tricholoma)	198
sepiaria (Lenzites)	1146a	stellatus (Omphalia)	241c
septicus (Pleurotus)	2597	stemmatus (Telamonia)	840a
sericellus (Entolonia)	307	stercorarius (Coprinus)	685a
sericeus (Entoloma)	320b	stercorarius (Stropharia)	538
serifluus (Lactarius)	1012	sterquilinus (Coprinus)	660
serotina (Russula)	1042a	Stevensoni (Cantharellus)	11116
serotinus (Pleurotus)	258b	Stevensoni (Collybia)	145b
serrulatus (Leptonia)	333	stilbocephalus (Clitopilus)	
setosus (Mycena)	193a	stillatitius (Myxacium)	831
sideroides (Naucoria)	458a	stipitarius (Collybia)	149b
siligineus (Galera)	1156	stolonifer (Collybia)	152c
silvaticus (Psalliota)	530	storea (Hypholoma)	543
silvicola (Psalliota)	529	straminipes (Clitopilus)	960
sinapizans (Hebeloma)	413	strangulatus (Amanita)	13
sindonius (Înocybe)	400	striæpes (Naucoria)	478
sinopicus (Clitocybe)	647	striæpileus (Omphalia)	2888
sinuatus (Entoloma)	310	striatulus (Pleurotus)	212b
siparius (Naucoria)	4806	strobiliformis (Amanita)	8, 277
sistratus (Lepiota)	85a	strobilinus (Mycena)	131 <i>b</i>
soboliferus (Coprinus)	848	stylobates (Mycena)	249a
sobrius (Naucoria)	511a	stypticus (Panus)	1144a
socialis (Clitocybe)	134b	suavis (Leptonia)	488
solitarius (Amanita)	939	subatratus (Psathyrella)	633
solstitialis (Leptonia)	332b	subbalteatus (Panæolus)	631 <i>b</i>
sordidus (Tricholoma)	100	subcavus (Armillaria)	46
sororia (Russula)	1057	subcollariatus (Hebeloma)	506
spadiceo-griseus (Psathyra)	611	subdecastes (Clitocybe)	958
spadiceus (Hygrophorus)	1161	subdulcis (Lactarins)	1002
spadiceus (Psilocybe)	610	subericæus (Psilocybe)	588
sparteus (Galera)	481a	subferrugineus (Hydrocybe	
speciosus (Volvaria)	297	subfætens (Russula)	1047
spectabilis (Pholiota)	352	subgibbosus (Psalliota)	532
speculum (Entoloma)	308	subglobosus (Nolanea)	11706
speireus (Mycena)	190a	sublanatus (Inoloma)	762
spermaticus (Tricholoma)	87	sublateritius (Hyliholoma)	557, 558
sphagnicola (Omphalia)	289a	subnotatus (Dermocybe)	832
sphinctrinus (Panæolus)	628	subpalmatus (Pleurotus) .	255

PLATE (PLATE
subpulverulentus (Tricholoma) 219	triformis (Telamonia)	790
subinvolutus (Clitocybe) 108	trigonophyllus (Tubaria)	483
subpurpurascens (Phlegmacium) 725	Trinii (Inocybe)	428
subradiatus (Hygrophorus) 935a	triscopus (Naucoria)	458b
subumbonatus (Lactarius) 986a	triumphans (Phlegmacium)	692
succineus (Collybia) 151a	trivialis (Lactarius)	976-
sudorus (Mycena) 206	Trogii (Clitocybe)	102
sulphureus (Tricholoma) 62	truncatus (Hebeloma)	417
Swartzii (Omphalia) 274	tuba (Clitocybe)	112
1 / "	tubæformis (Cantharellus)	1108 -
tabacinus (Naucoria) 493b	tuberculosus (Pholiota)	370a
tabularis (Dermocybe) 783	tuberosus (Collybia)	\dots 144 α
talus (Phlegmacium) 711	tumidus (Tricholoma)	93
	tumulosus (Clitocybe)	105
tardus (Coprinus) 719 Taylori (Volvaria) 296	turbinatus (Phlegmacium)	714
telmatiæus (Omphalia) 240	turmalis (Phlegmacium)	694
temperatus (Volvaria) 300b	turpis (Lactarius)	987
temulentus (Naucoria) 459	turundus (Hygrophorus)	921b
tenacellus (Collybia) 152b.c, 640	tylicolor (Collybia)	247a
tenax (Nancoria) 617b		
tenellus (Mycena) 190b	udus (Psilocybe)	569
tener (Bolbitius) 691	uliginosus (Dermocybe)	851
tener (Galera) 461	ulmarius (Pleurotus)	227
tenerrimus (Mycena) 249b	umbelliferus (Omphalia)	271
tenuiceps (Tricholoma) 1166	umbonatus (Cantharellus)	1106b
tenuis (Mycena) 160b	umbratilis (Omphalia)	\dots 274 α
terginus (Marasmius) 1122a	umbrinus (Lactarius)	1006
terreus (Tricholoma) 50	umbrosus (Plutens)	304a
terrigenus (Pholiota) 349	undatus (Clitopilus)	486
tesquorum (Collybia) 270b	unguinosus (Hygrophorus)	924
tessulatus (Pleurotus) 254	unicolor (Pholiota)	\dots 356b
testaceus (Hebeloma) 408	unimodus (Hydrocybe)	859
testaceus (Phlegmacium) 1190	uraceus (Hydrocybe)	796
thelephorus (Collybia) 1167	urbicus (Telamonia)	818
Thomsoni (Entoloma) 374	urens (Marasmius)	1116
thraustus (Stropharia) 551	urticæcola (Psathyra)	596b
tigrinus (Lentinus)1138, 1139a	ustalis (Tricholoma)	88
tigrinus (Tricholoma) 64	utilis (Lactarius)	1084
tintinabulum (Mycena) 224	uvidus (Lactarius)	991
titubans (Bolbitius) 690	(TI-1-1-1-)	00
togularis (Pholiota) 350	vaccinus (Tricholoma)	60
tomentosus (Coprinus) 672a	vaginatus (Amanita)	12, 940
tomentosus (Lactarius) 1010 tophaceus (Inoloma) 772	Vaillantii (Marasmius)	1126a
	valgus (Dermocybe)	750
	variabilis (Claudopus)	344a
	varicosus (Marasmins)	1121a
1		642
tortuosus (Hydrocybe) 857 torulosus (Panus) 1149b	variicolor (Phlegmacium) varius (Phlegmacium)	700
torulosus (Panus) 11496 torvus (Telamonia) 801	varius (Enlegmacium) vatricosus (Inocybe)	100
Augustin (Tarala)	vatricosus (Inocybe) vellereus (Lactarius)	000
		- 20
tremulus (Pleurotus), 242b		${184a},650$
trepidus (Psathyrella) 655a		833b
tricholoma (Inocybe) 404b		145a
(2.000) 2020	(001, 014)	2.200

	PLATE	1	PLATE
ventricosus (Hygrophorus)	901	virosus (Amanita)	1
venustissimus (Clitocybe)	2658	viscidus (Gomphidius)	881
verecundus (Nolanea)	349a	vitellina (Russula)	11028
vernicosus (Clitocybe)	265a	1: 111 (D 11 1.11)	928a
veinus (Amanita)	3	1. 11 /17 1	904a
verruculosus (Pholiota)	614	11/11/ /25	1896
vertirugis (Collybia)	149a	- thus - (Af)	160a
vervacti (Naucoria)	617a	TT*:: 1' '' /T '' \	36
vesca (Russula)	1075	111 6 1 (0 7 1)	464a
	033, 1092	1 /5 1 1 1	999
vibratilis (Myxacium)	744	/57-1	294
vietus (Lactarius)	1009	1 (10	1918
vilis (Clitopilus)	487	1 7 / 1	1148a
villaticus (Psalliota)	585	, 415	
vinosus (Flammula)	437	Whitei (Inocybe)	404a
vinosus (Inoloma)	759	TTT 13 1 1 1 10 3 1 1	556
vinosus (Psathyra)	592	777 1 (17 1)	329
violacea (Russula)	1060a	337 ! /IT!-1 1 \	688
violaceofuscus (Inocybe)	1174	XX7 · /X7	905a
violaceus (Lactarius)	9988	***	1123a
violaceus (Inoloma)	770	(12000)	
violarius (Pluteus)	5186	xanthophyllus (Phlegmacium	753
virescens (Russula)	1039	10 11 11 1	203
virescens (Tricholoma)	641		53, 1074
virgatus (Tricholoma)	16!		202
virginea (Russula)	1197	7-1 (5 552) 5 (6) 111	
virgineus (Hygrophorus)	892	zephyrus (Mycena)	1586
viridis (Omphalia)	271 <i>b</i>	1 11 1/0111	948
		78-1-3 (21110)	






LEUCOSPORI.

PL. 939.



AGARICUS (AMANITA) SOLITARIUS. Bulliard. on the ground. Leigh Wood, Bristol, Sept. 1886.




LEUCOSPORI.

PL. 1163.



AGARICUS (AMANITA) RUBESCENS. Fries. under trees. Arboretum, Kew, 1889.

Supeq vol I




LEUCOSPORI.

PL. 940.




AGARICUS (AMANITA) VAGINATUS. Fr. var. NIVALIS. Greville. on the ground. Chingford, Nov. 11, 1882.






AGARICUS (LEPIOTA) FRIESII. Lasch. on the ground. Tunbridge Wells, &c., Sept. 1887.








PL. 1164.



AGARICUS (LEPIOTA) EMPLASTRUM. Cke. & Mass. amongst grass. Ealing, Oct. 1887.






" the one so called" It all night

PL, 1180.



AGARICUS (LEPIOTA) HISPIDUS. Lasch.
in woods. Carlisle, Oct. 1886.











AGARICUS (LEPIOTA) FELINUS. Fries. on the ground. Queen's Cottage, Kew.



G.M.

AGARICUS (LEPIOTA) MICROPHOLIS. Berk & Br. on cocoa-nut fibre in stove. Scarboro'.








LEUCOSPORI.


PL. 942.



AGARICUS (LEPIOTA) CEPÆSTIPES. var. CRETACEUS. Bulliard. on melon bed. Coed Coch, Aug. 1886.








PL. 1179.

LEUCOSPORI.



AGARICUS (LEPIOTA) LICMOPHORUS. B. \S · Br. on the ground.











AGARICUS (LEPIOTA) CITROPHYLLUS.
on the ground, Leigh Wood,

Berk. & Br. Oct., 1883.






AGARICUS (LEPIOTA) MARTIALIS. Cooke & Mass. on tree fern in stove. Scarboro'.








EUCOSPORI.


PL. 955.



AGARICUS (ARMILLARIA) JASONIS. Che. & Mass. on stumps. Carlisle. Sept. 1887.








LEUCOSPORI. PL. 1165.



AGARICUS (ARMILLARIA) FOCALIS. v. GOLIATHUS. Fries. under spruce. Longwitton. Aug. 1889.








LEUCOSPORI.

PL. 1181.



AGARICUS (ARMILLARIA) CITRI. Inzengi. on stump. Kew. Sept. 1890.








LEUCOSPORI. PL. 926,



AGARICUS (TRICHOLOMA) RUSSULA. Schæff.
amongst grass. Pleasure Grounds, Kew, Oct. 1886.








PL. 642.

LEUCOSPORI.



AGARICUS (TRICHOLOMA) VARIEGATUS. Schooff.
on stumps. Epping. Oct., 1883.






See plate 165 (Vol 1.84) 4 pl 947 (119) LEUCOSPORI.

PL. 641.



AGARICUS (TRICHOLOMA) ARGYRACEUS. Fries. var. VIRESCENS. Cooke. on the ground. King's Wood, Reigate, Sept., 1883.






See pl 165 (Vol. 1. 84) 4 66 (1118). LEUCOSPORI.


PL. 947.



AGARICUS (TRICHOLOMA) ARGYRACEUS. var. CHRYSITES. Jungh. on the ground. Oxford, 1886.









LEUCOSPORI. PL. 945.



AGARICUS (TRICHOLOMA) INODERMEUS. Fries. amongst grass. Pontrilas, 1885.








1121


EUCOSPORI. PL. 1166.



AGARICUS (TRICHOLOMA) TENUICEPS. Cke. & Mass. under trees. Arboretum, Kew. July, 1888.









PL. 1151,



AGARICUS (CLYTOCYBE) CINERASCENS. Batsch.
amongst moss. Forres, N.B., 1888.









COSPORI. PL. 956.



AGARICUS (TRICHOLOMA) BOREALIS. Fries. on the ground. Birmingham and Oxford.









PL. 946.



AGARICUS (TRICHOLOMA) PES-CAPRÆ. Schæff. on the ground. Arboretum, Kew, Nov. 1886.








1125


EUCOSPORI. PL. 1182.



AGARICUS (TRICHOLOMA) CIRCUMTECTUS. C. & M. on the ground. Arboretum, Kew. Sept. 1888.







PL. 640.



AGARICUS (TRICHOLOMA) DURACINUS. Cooke. under cedars. Kew Gardens, Oct., 1883.




COSPORI. PL. 957.



AGARICUS (TRICHOLOMA) MELALEUCUS. var. POLIOLEUCUS. Fries.

amongst grasss. Kew Gardens. May, 1887.









PL. 1183.



AGARICUS (CLITOCYBE) OPIPARUS. Fries. on the ground. Coed Coch, Oct. 1883.








PL. 644.



AGARICUS (CLITOCYBE) AMPLUS.
on the ground. Penzance.

Pers. 1884.










AGARICUS (CLITOCYBE) FUMOSUS. Fries.
amongst rubbish. Pleasure grounds, Kew.

Fries. (CŒSP/TOSUS)
ds, Kew. Oct., 1883.









LEUCOSPORI. PL. 958. cæspitose. G.M

AGARICUS (CLITOCYBE) SUBDECASTES. Cke. & Mass. on the ground. Carlisle. Sept. 1887.










AGARICUS (CLITOCYBE) PERGAMENUS. Cooke.
by roadside. Lyndhurst. Oct., 1883.











AGARICUS (CLITOCYBE) OCCULTUS. Che. on charred ground. Chingford, Nov. 1883.








LEUCOSPORI.

PL. 648.



AGARICUS (CLITOCYBE) MONSTROSUS. Sow. on the ground. Morpeth. Sept., 1883.







LEUCOSPORI.


PL. 646.




AGARICUS (CLITOCYBE) INFUNDIBULIFORMIS. Schaff. amongst leaves. Reading.

var. Oct., 1869.

MEMBRANACEUS Fries.










AGARICUS (CLITOCYBE) SINOPICUS.


on the ground.

Dinmore.

Fries. Oct., 1884.








PL. 948.


LEUCOSPORI.



AGARICUS (CLITOGYBE) ZYGOPHYLLUS. Cooke. on the ground. Swarraton, Hants, Oct. 1886.








LEUCOSPORI.


PL. 949.



AGARICUS (COLLYBIA) FODIENS. Kalch.
on grass borders. Alresford, Hants, Oct. 1886.









PL. 950. LEUCOSPORI. densely cospitose. 8-9×5 M M.C.C.

AGARICUS (COLLYBIA) PROLIXUS. Fries.
amongst dead leaves. Arboretum, Kew, Sept. 1886.











AGARICUS (COLLYBIA) DISTORTUS. Fries. (variety.)
at pine roots. Coed Coch.











 $\begin{array}{cccc} \text{AGARICUS} \text{ (COLLYBIA)} \text{ VELUTIPES.} & \textit{Curt.} \\ & \textit{amongst firs.} & \textit{Largo, N.B.} \end{array}$

var. RUBESCENS. Nov., 1872.











PL. 1168.



AGARICUS (COLLYBIA) FLOCCIPES. Fries. in a stump. Leigh Woods, Bristol, 1889.








LEUCOSPORI.

PL. 1167.



AGARICUS (COLLYBIA) THELEPHORUS. in peat bogs. Scarboro'.












AGARICUS (COLLYBIA) LEUCOMYOSOTIS.
on Sphagnum in bogs. Wimbledon Common.











AGARICUS (COLLYBIA) TENACELLUS. Pers. under cedars. Shrewsbury. June, 1873.









LEUCOSPORI. PL. 1185.



AGARICUS (COLLYBIA) EUSTYGIUS. Cooke. on the ground near Hereford. Oct. 1890.









PL. 1198.



AGARICUS (COLLYBIA) MURINUS. Fries. on the ground. Alresford, Hants.













AGARICUS (MYCENA) FLAVIPES. Quelet. on stumps. Whitby, Yorks.












AGARICUS (MYCENA) CODONICEPS. Cooke. on tree fern stems. Bull's Nursery, June, 1874.








1150


LEUCOSPORI. PL. 1186.



AGARICUS (MYCENA) CONSIMILIS. Cooke. amongst grass. Pleasure grounds, Kew.










AGARICUS (MYCENA) LEUCOGALUS.
on stumps. Queen's Cottage, Kew.

Cooke. Oct., 1883.









LEUCOSPORI.


PL. 1152.



AGARICUS (OMPHALIA) POSTII. Fries, amongst Sphagnum. Scarborough.







PL. 959.



AGARICUS (MYCENA) OLIVACEO-MARGINATUS. Massee. on lawns. Kew Gardens, 1886.




× 2


AGARICUS (OMPHALIA) GLAUCOPHYLLUS. Lasch.
on the ground amongst moss.



M.J.B.








LEUCOSPORI.


PL. 654.




AGARICUS (PLEUROTUS) RUTHÆ.

on sawdust. Coed Coch.

Berk. & Br. 1883.








LEUCOSPORI. PL. 954.



AGARICUS (PLEUROTUS) SAPIDUS. Kalch. on elm trunks. Chiswick, Aug. 1887.












AGARICUS (PLEUROTUS) COLUMBINUS. Quelet. on fallen logs. Queen's Cottage, Kew, Nov. 1886.











PL. 1169.

AGARICUS (PLUTEUS) SALICINUS. Pers. on rotten willow. (a) S. Wootton. (b) Leigh Wood. Municipal State В C.B.

AGARICUS (LEPTONIA) ASPRELLUS. Fries. on the ground. Leigh Wood. Oct. 1886.








HYPORRHODII. PL. 1153.



AGARICUS (ENTOLOMA) NIGRO-CINNAMOMEUS. Kalch. amongst moss. Scarborough, Oct. 1884.








1159

YPORRHODII. PL. 960. fragile. 10-12 M. G.M.

AGARICUS (CLITOPILUS) STRAMINIPES. Massee. on the ground, Carlisle, Sept. 1887.










AGARICUS (NOLANEA) SUBGLOBOSUS. A. & S. on the ground. Fairmead, Epping, 1888.








DERMINI.


PL. 1171.



AGARICUS (PHOLIOTA) MOLLISCCRIUM. C. & M. on the ground. Carlisle. June, 1888.







ERMINI.




AGARICUS (INOCYBE) PERLATUS. under trees. Fairmead, Epping Forest.

Cooke. August, 1886.








PL. 1174.



AGARICUS (INOCYBE) VIOLACEO-FUSCUS. C. & M. amongst grass in open spots. Park End, Gloster.










AGARICUS (INOCYBE) FASCIATUS. C. & M. on the ground. Kew Gardens.











AGARICUS (HEBELOMA) ELATUS. Fries. under oaks. Scarborough.









AGARICUS (HEBELOMA) NAUSEOSUS. Cooke.
in mixed woods. Park End, Forest of Dean. Oct. 1887.








PL. 964.



AGARICUS (FLAMMULA) PURPURATUS. Kew Gardens. on tree fern stems.

Cke. & Mass. May, 1887.










AGARICUS (FLAMMULA) NITENS. Cke. & Mass. on the ground. Carlisle, Sept. 1887.











AGARICUS (NAUCORIA) LUGUBRIS. Fries. on grassy ground. Forres, N.B.







AGARICUS (NAUCORIA) FESTIVUS. amongst grass in wood. Carshalton.

Fries. Sept. 1886.










AGARICUS (NAUCORIA) OBTUSUS. Che. & Mass. on the ground. Scarborough.










AGARICUS (NAUCORIA) HAMADRYAS. Fries.

amongst grass, after much rain. Arboretum, Kew. Nov. 1886.











PL. 1172.



 $\begin{array}{lll} {\bf AGARICUS~(PHOLIOTA)~BLATTARIUS.} & Fries. \\ on~ground. & near~Chingford,~Epping~Forest,~1883. \end{array}$










AGARICUS (GALERA) SILIGINEUS. Fries on road scrapings. Scarborough.












AGARICUS (TUBARIA) MUSCORUM. Fries.
amongst moss on heaths. Scarborough.








RATELLI.

PL. 967.



AGARICUS (CHITONIA) RUBRICEPS. Che. & Mass. on soil in Aroid House, Kew Gardens. Dec. 1886.










AGARICUS (PSALLIOTA) SAGATUS. Fries. under beech. Kew Gardens. Oct. 1886.








PL. 1188.



AGARICUS (STROPHARIA) MERDARIUS. var. MAJOR. Fries. on the ground. Scarboro'.







PRATELLÆ.



AGARICUS (STROPHARIA) SCOBINACEUS. Fries. at the base of ash trunks.









AGARICUS (HYPHOLOMA) CATARIUS. Fries. amongst grass. Kew Gardens. Sept. 1888.











AGARICUS (HYPHOLOMA) INSTRATUS. Britz (?).
on stumps. near Shrewsbury.












AGARICUS (PSILOCYBE) AREOLATUS. Klot. variety. Malton, Yorks on wood.







disc atomate. 10 X 5 M

AGARICUS (PS/LOCYBE) CLIVENSIS. Berk. & Br. amongst grass, on downs. Alresford. June, 1886.








AGARICUS (PSATHYRA) GYROFLEXUS. Fries.
amongst rubbish. Richmond Park. Sept. 1886.

G.M.




PRATELLI.

PL. 1158.



AGARICUS (PSATHYRA) CONOPILEUS forma SUPERBUS. Jung. on banks. Scarborough.









BOLBITIUS CONOCEPHALUS. Bull. on the ground, palm house, Kew Gardens.









BOLBITIUS GRANDIUSCULUS. C. & M. amongst grass, on the cliffs, Scarborough.










CORTINARIUS (PHLEGMACIUM) TESTACEUS. Cooke.

on the ground. Whitfield, Oct. 1890.










cortinarius (MYXACIUM) NITIDUS. Fronthe ground, near Carlisle.









cortinarius (TELAMONIA) LUCORUM. Fries.
in woods. Morpeth, Sept. 1888.









CORTINARIUS (TELAMONIA) CROCEO-FULVUS. Fries.
on the ground. Carlisle, Sept. 1888.









CORTINARIUS (HYDROCYBE) ANGULOSUS. Fries. on the ground. Carlisle. Aug. 1889.










PAXILLUS ALEXANDRI. Fries.
on the ground. Epping Forest, 1889.









HYGROPHORUS (HYDROCYBE) SPADICEUS. Fries. on the ground. Clun Forest. July, 1888.





"Lact, mobilities pl 119.


I think in the same

an L. scolicus" see p.


1004 3 (Vol 7. 938)



Soppitt. LACTARIUS (PIPERITES) INVOLUTUS. on the ground. Bolton Woods, Yorks.










LACTARIUS (PIPERITES) SQUALIDUS. Krombh.
on the ground, near Halifax.









RUSSULA (FURCATÆ) VIRGINEA. C. & M. under beeches. Burnham Beeches, Oct. 1890.











RUSSULA OCHROLEUCA var. CLAROFLAVA. Grove.
on the ground. Suiton Park.











QK 607 C67 v.8 Cooke, Mordecai Cubitt
Illustrations of British
Fungi

BioMed

PLEASE DO NOT REMOVE
CARDS OR SLIPS FROM THIS POCKET

UNIVERSITY OF TORONTO LIBRARY

